L Number	Hits	Search Text	DB	Time stamp
1	5184	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/22 12:41
-		@prad<20001201) and ((program\$1 or	US-PGPUB;	2001,01,11
		application\$1) adj level\$1)	EPO	
2	48	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/22 12:52
		@prad<20001201) and ((program\$1 or	US-PGPUB;	
		application\$1) adj level\$1 with (critic\$5	EPO	
_		or trust\$9))		l
3	1853	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/22 12:53
		@prad<20001201) and ((node\$1 or server\$1	US-PGPUB;	
		or computer\$1) with (critic\$5 or trust\$9)	EPO	1
4	1411	with (application\$1 or program\$1)) (@ad<20001201 or @rlad<20001201 or	USPAT:	2004/07/22 12:53
4	1411	(ead 20001201 of effect 20001201 of     (prad 20001201) and ((node \$1 or server \$1	US-PGPUB;	2004/07/22 12:53
		or computer\$1) with(critic\$5) with	EPO	
		(application\$1 or program\$1))	1210	
5	141	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/22 12:55
		@prad<20001201) and ((node\$1 or server\$1	US-PGPUB;	
		or computer\$1) with(critic\$5) with (based	EPO	
		or depend\$3) with (application\$1 or		
		program\$1))		
6	10	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/22 12:58
		@prad<20001201) and ((node\$1 or server\$1	US-PGPUB;	
		or computer\$1) with (critic\$5) with (based	EPO	
		or depend\$3) with (application\$1 or		
7	0	program\$1)with (operation or production)) (@ad<20001201 or @rlad<20001201 or	HCDAM.	2004/07/22 12:59
'		(ead<20001201 of effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<20001201 of   effad<2	USPAT; US-PGPUB;	2004/07/22 12:59
		or computer\$1) with(critic\$5) with (based	EPO	
		or depend\$3) with (application\$1 or	===	
		program\$1) with (payment or fee\$1))		
8	148	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/22 13:01
		@prad<20001201) and ((node\$1 or server\$1	US-PGPUB;	
		or computer\$1) with(Reliabl\$3 or secur\$3	EPO	
		or trust\$9) with (more or increase) with		
	0.1	(price or cost\$1 or expens\$2))		
9	21	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/22 13:02
		<pre>@prad&lt;20001201) and ((node\$1 or server\$1 or computer\$1) with(Reliabl\$3 or secur\$3</pre>	US-PGPUB; EPO	
		or trust\$9) with (more or increase) with	EFO	
		(price or cost\$1 or expens\$2)) and		
		709/.ccls.		
10	34	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/22 13:06
		@prad<20001201) and ((node\$1 or server\$1	US-PGPUB;	
		or computer\$1) with (Reliabl\$3 or secur\$3	EPO	
		or trust\$9) with (more or increase) with		
		(price or cost\$1 or expens\$2)) and		1
11	17014	(709/.ccls. or 713/.ccls.)	**************************************	0004/07/00 10 15
11	17914	(@ad<20001201 or @rlad<20001201 or @prad<20001201) and ((multiple or two)	USPAT;	2004/07/22 13:15
		near3 level (agreement or service)) and	US-PGPUB; EPO	
		(709/.ccls. or 713/.ccls.)		
12	46	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/22 13:18
		@prad<20001201) and ((choos\$3 or select\$3)	US-PGPUB;	
		with (server\$1 or node\$1 or computer\$1)	EPO	
		with (application\$1 or service or		
		program\$1) with (price or fee\$1 or		1
		costs\$1)) and (709/.ccls. or 713/.ccls.)		
13	49	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/22 13:25
		@prad<20001201) and (((Internet adj	US-PGPUB;	
		service adj provider) or (Internet adj	EPO	
		provider) or (Internet adj access adj provider)) with (price or fee\$1 or		
		costs\$1)) and (709/.ccls. or 713/.ccls.)		
14	0	l	USPAT;	2004/07/22 13:27
		@prad<20001201) and (((Internet adj	US-PGPUB;	
		service adj provider)or (Internet adj	EPO EPO	
		provider) or (Internet adj access adj		
		provider)) with (consolidat\$3 or group\$3		
		or match\$3 or combin\$3 or centraliz\$3)		
		with (application\$1 or program\$1)) and		
		(709/.ccls. or 713/.ccls.)		l

15	132	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/22 13:37
		@prad<20001201) and ((Internet) with	US-PGPUB;	
		(server\$1 or node\$1 or computer\$1) with	EPO	
		(consolidat\$3 or group\$3 or match\$3 or		
		combin\$3 or centraliz\$3) with		
		(application\$1 or program\$1)) and		
	l	(709/.ccls. or 713/.ccls.)		
16	54	<b>, ,</b>	USPAT;	2004/07/22 13:52
		@prad<20001201) and (server near5	US-PGPUB;	
1,,	1 ,,	"security level")	EPO	2004/07/20 12 52
17	11	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/22 13:53
		@prad<20001201) and ("security level").ti.	US-PGPUB; EPO	
l _	0	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/14 10:11
	· ·	@prad<20001201 or effact20001201 or @prad<20001201) and ((Internet adj	US-PGPUB;	2004/07/14 10.11
		(application\$1 or service\$1)).ab. or	EPO	
		(Internet adj (application\$1 or	510	
		service\$1).ti.) and		
		(709/;713/;380/;714/;717/).ccls.		
-	20	((@ad<20001201 or @rlad<20001201 or	USPAT:	2004/07/13 15:55
		@prad<20001201) and	US-PGPUB;	
		(713/152,154,201).ccls. and firewall) and	EPO	
		cluster		
} _	467	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/14 11:48
1		@prad<20001201) and	US-PGPUB;	
		(713/152,154,201).ccls. and firewall	EPO	
-	1735	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/22 12:40
		@prad<20001201) and	US-PGPUB;	
		(713/152,154,201).ccls.	EPO	
-	20963	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/15 07:26
1		@prad<20001201) and	US-PGPUB;	
		(709/;713/152,154,201).ccls.	EPO	
-	93	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/14 05:21
		@prad<20001201) and (switch near3	US-PGPUB;	
		firewall) not (switch near2 "or")	EPO	
<del>-</del>	23	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/14 05:21
		@prad<20001201) and (switch near1	US-PGPUB;	
		firewall)	EPO	0004/07/14 05 10
-	55	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/14 05:19
		<pre>@prad&lt;20001201) and (switch near2 firewall)</pre>	US-PGPUB; EPO	
l _	93	l '	USPAT;	2004/07/14 05:21
		@prad<20001201 of @ffad<20001201 of @ffad<200012	US-PGPUB;	2004/07/14 03:21
		firewall)	EPO	
_	61	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/14 05:19
	"-	@prad<20001201) and (internal adj	US-PGPUB;	2004/07/14 03:13
		firewall)	EPO EPO	
_	l o	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/14 10:14
		@prad<20001201) and	US-PGPUB;	
1		(713/152,154,201).ccls. and (web adj	EPO	
1		personal adj firewall)	İ	
-	0	(713/152,154,201).ccls. and (web adj	USPAT;	2004/07/14 10:14
		personal adj firewall)	US-PGPUB;	
			EPO	
-	5	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/14 10:15
		@prad<20001201) and	US-PGPUB;	
		(713/152,154,201).ccls. and (web with	EPO	
	_	personal with firewall)		
-	8	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/14 10:17
		@prad<20001201) and	US-PGPUB;	
		(713/152,154,201).ccls. and (web with	EPO	
	ن ا	resid\$3 with firewall)		
_	1	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/14 10:22
		@prad<20001201) and	US-PGPUB;	
		(713/152,154,201).ccls. and (chinese adj	EPO	
_	10	wall)   (@ad<20001201 or @rlad<20001201 or	IICDAM.	2004/07/14 11 01
	10	<pre>@prad&lt;20001201 or @ffad&lt;20001201 or @prad&lt;20001201) and (chinese adj wall)</pre>	USPAT;	2004/07/14 11:01
		cprud\20001201/ and (chinese ad) wall)	US-PGPUB; EPO	
_	2	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/14 11:03
		@prad<20001201 of effad<20001201 of effad<200012	US-PGPUB;	2004/07/14 11:03
		web)	EPO	
	L			<u> </u>

[ <del>-</del>	0	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/14 11:04
		Oprad<20001201) and (firewall with	US-PGPUB;	
		compet\$3 adj (application\$1 or program\$1	EPO	
		or service\$1 or module\$1))		
<del>-</del>	0	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/14 11:04
		Oprad<20001201) and (firewall with	US-PGPUB;	
		seperate\$3 adj (application\$1 or program\$1	EPO	
		or service\$1 or module\$1))	l	
-	0	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/14 11:05
		@prad<20001201) and (firewall with	US-PGPUB;	
		seperate\$3 with (application\$1 or	EPO	
	64	program\$1 or service\$1 or module\$1))	I I I I I I I I I I I I I I I I I I I	0004/07/14 11 07
-	64	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/14 11:07
		@prad<20001201) and (firewall with	US-PGPUB; EPO	
		(different or compet\$3 or antagonistic or rival or opposing or challeng\$3 or	EFO	
		contend\$3 or adversary or rogue) with		
		(application\$1 or program\$1 or service\$1		
		or module\$1))		
l <u>-</u>	110	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/14 11:52
	110	@prad<20001201) and	US-PGPUB;	2004/0//14 11:32
1		(713/152,154,201).ccls. and firewall and	EPO	
1		((different or compet\$3 or antagonistic or	1	
1		rival or opposing or challeng\$3 or		
		contend\$3 or adversary or rogue) near2		
		(application\$1 or program\$1 or service\$1		
		or module\$1))		
-	15	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/14 12:13
		@prad<20001201) and	US-PGPUB;	
		(713/152,154,201).ccls. and firewall and	EPO	
		((compet\$3 or antagonistic or rival or		
		opposing or challeng\$3 or contend\$3 or		
		adversary or rogue) near2 (application\$1		
		or program\$1 or service\$1 or module\$1))		
-	1	5802391.pn.	USPAT;	2004/07/14 12:14
			US-PGPUB;	
		·	EPO	
-	0	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/14 12:21
		<pre>@prad&lt;20001201) and (web with server with</pre>	US-PGPUB;	
		rogue with (app\$6 or program\$1 or	EPO	
	•	service\$1 or module\$1))		
-	0	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/14 12:21
		@prad<20001201) and (web with server with	US-PGPUB;	
	13	rogue)   (@ad<20001201 or @rlad<20001201 or	EPO USPAT;	2004/07/14 15:18
	13	@prad<20001201 Of @f1ad<20001201 Of @f1ad<20001 Of @f1ad<		2004/07/14 15:18
1		with (app\$6 or program\$1 or service\$1 or	US-PGPUB; EPO	
		module\$1))	1 2.0	
_	2	("6377994" "6356941").pn.	USPAT;	2004/07/14 16:10
1		( 0077554 000054 7.pm.	US-PGPUB;	2004/0//14 10:10
			EPO	
-	10	(@ad<20001201 or @rlad<20001201 or	USPAT	2004/07/15 07:27
1		@prad<20001201 of @frad<20001201 of @prad<20001201 of @frad<20001201 of @frad<200012	331111	
-	267	(@ad<20001201 or @rlad<20001201 or	USPAT	2004/07/15 07:27
		@prad<20001201) and (screening with		
:		(application\$1 or service\$1) and LAN)		
-	0	(@ad<20001201 or @rlad<20001201 or	USPAT	2004/07/15 07:28
		@prad<20001201) and (screening with		
		(application\$1 or service\$1) with pocket		
		and LAN)		
-	6	(@ad<20001201 or @rlad<20001201 or	USPAT	2004/07/15 07:31
		@prad<20001201) and (screening with		
		(application\$1 or service\$1) with router		
1		and LAN)		
-	453	(@ad<20001201 or @rlad<20001201 or	USPAT	2004/07/15 07:32
		<pre>@prad&lt;20001201) and (firewall with</pre>		
		(application\$1 or service\$1 or port\$1)and		
		LAN)		
-	77	(@ad<20001201 or @rlad<20001201 or	USPAT	2004/07/15 07:54
		@prad<20001201) and (firewall with		
		<pre>(application\$1 or service\$1 or port\$1)with LAN)</pre>		

			_	
-	5	(@ad<20001201 or @rlad<20001201 or	USPAT	2004/07/15 07:43
		@prad<20001201) and (firewall with (SAP or		
		service adj access adj point))		
-	139		USPAT	2004/07/15 07:54
		@prad<20001201) and (application near2		
		firewall)		
-	77	1 1000 - 11110 - 1 1 1 1 1 1 1 1 1 1 1 1	USPAT	2004/07/15 07:54
		@prad<20001201) and (application near		
		firewall\$1)		
-	68	(0 0	USPAT	2004/07/15 08:09
		@prad<20001201) and (application near		
	İ	firewall)		
-	21		USPAT	2004/07/15 08:11
		@prad<20001201) and (address with port		
		near5 firewall)		
_	0	1 (4	USPAT	2004/07/15 08:11
		@prad<20001201) and (concern with address		
	2	with security with firewall)	II CDAM	2004/07/15 00:14
_		(@ad<20001201 or @rlad<20001201 or @prad<20001201) and (concern with	USPAT	2004/07/15 08:14
		security with firewall)		
_	2		USPAT	2004/07/15 08:16
_		(ead 20001201 of effective control of effective c	USFAI	2004/07/13 08:16
		firewall)		
_	27	[ · · · · · · · · · · · · · · · · · · ·	USPAT	2004/07/15 08:16
		@prad<20001201) and (software adj	001111	2004/07/15 00:10
		firewall)		
_	2	(@ad<20001201 or @rlad<20001201 or	USPAT	2004/07/15 08:16
		@prad<20001201) and (personal adj		
		firewall\$1)		
_	30	(@ad<20001201 or @rlad<20001201 or	USPAT	2004/07/15 08:22
		@prad<20001201) and (software adj		
		firewall\$1)		
-	14	(@ad<20001201 or @rlad<20001201 or	USPAT	2004/07/15 11:38
		@prad<20001201) and (filter\$3 adj logic		
		with port)		
-	23	(*====================================	USPAT	2004/07/15 11:40
		@prad<20001201) and (ISP with service adj		
		level)		
_	0	(@ad<20001201 or @rlad<20001201 or	USPAT	2004/07/15 11:41
		@prad<20001201) and (ISP with service adj		
		level near7 (finan\$4 or money or fund\$1 or		
	0	income or return\$1))   (@ad<20001201 or @rlad<20001201 or	tionam	2004/07/15 11:41
_	l	(ead<20001201 or eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<20001201 or   eriad<2	USPAT	2004/07/15 11:41
		level same (finan\$4 or money or fund\$1 or		
		income or return\$1))		
-	0	(@ad<20001201 or @rlad<20001201 or	USPAT	2004/07/15 11:41
	ľ	@prad<20001201) and (ISP with service adj		
		level same (finan\$4 or money or fund\$1 or		
		income or return\$1 or profit))		
-	15		USPAT	2004/07/15 11:43
		@prad<20001201) and (ISP with service adj		
		level and (finan\$4 or money or fund\$1 or		
		income or return\$1 or profit))		
-	0	, , , , , , , , , , , , , , , , , , , ,	USPAT	2004/07/15 11:43
		@prad<20001201) and (service adj level		
		with (finan\$4 or money or fund\$1 or income		
		or profit) with internet)		
-	4	\	USPAT	2004/07/15 11:43
		@prad<20001201) and (service adj level		
		with (finan\$4 or money or fund\$1 or income		
	<u> </u>	or profit) and internet)		-